

STONEREEF

IT

EN

CARTA ABRASIVA, 80 PEZZI

ISTRUZIONI / MANUAL

STONE REEF GmbH
Nelkenstr. 15
85591 Vaterstetten
Germany
SR-1150
service@stonereef.de



IT

Italiano

- Adatta solo per levigatura manuale (non su macchine).
- Indossare protezioni (occhiali, maschera, guanti). Fissare il pezzo.
- Non usare in presenza di umidità o vicino a fonti elettriche.
- Non inalare la polvere; lavorare in ambienti ventilati.
- Controllare che non ci siano danni prima

dell'uso; non usare parti difettose.

- Tenere fuori dalla portata dei bambini (non è un giocattolo).
- Usare solo per lo scopo previsto (nessuna responsabilità in caso di uso improprio).

IT

Dati tecnici

Dimensioni della carta abrasiva: 93 × 230 mm

Grana: P40–P400 (10 pezzi ciascuno)

Adatto per: legno, vernice, metallo, pittura, gesso e superfici in plastica

Levigatrice manuale: 165 × 85 × 40 mm (ABS + EVA)

EN

English

- Use the sanding set only for manual sanding on suitable surfaces.
- Always wear appropriate protective equipment: safety goggles, gloves, dust mask, and tight-fitting clothing.
- Secure the workpiece before sanding to prevent slipping or injury.
- Do not use the sanding block in wet conditions or near live electrical components.
- Ensure good ventilation during sanding and avoid inhaling sanding dust.
- Check sanding sheets and the block before use for damage or wear. Do not use damaged components. Keep out of reach of children. Not a toy.

EN

technical specifications

Sheet size: 93 × 230 mm

Grits included: P40-P400 (10 of each)

Suitable for: Wood, paint, varnish, metal, plaster, plastic

Hand sanding block: 165 × 85 × 40 mm (ABS + EVA)

IT Indicazioni per la scelta della grana



La scelta della grana giusta è fondamentale per ottenere un risultato di levigatura ottimale. Le grane grossolane, come P40 e P80, sono ideali per rimuovere rapidamente vecchie vernici, lacche o materiali resistenti, in particolare su superfici in legno ruvide. Per la levigatura intermedia e la preparazione prima della verniciatura o della sigillatura si consigliano grane medie come P120 - P180. Le grane fini da P240 a P400 sono ideali per la finitura, la lucidatura o la levigatura tra una fase di lavoro e l'altra e garantiscono una superficie pulita e uniforme.

EN Grit Selection Guide



Choosing the right grit is essential for achieving the desired sanding result. Coarse grits like P40 to P80 are ideal for removing old paint, varnish or heavy material quickly, especially on rough wooden surfaces. For intermediate sanding and surface preparation before painting or sealing, medium grits such as P120 to P180 are recommended. Fine grits ranging from P240 to P400 are best suited for finishing work, polishing or smoothing between coats, ensuring a clean and even surface.

IT Accessori		
↓	Pz.	Articolo
A	1	Levigatrice manuale
B	10	Carta abrasiva P40
C	10	Carta abrasiva P60
D	10	Carta abrasiva P80
E	10	Carta abrasiva P120
F	10	Carta abrasiva P180
G	10	Carta abrasiva P240
H	10	Carta abrasiva P320
I	10	Carta abrasiva P400
J	1	Istruzioni per l'uso

EN Included Items		
↓	Qty.	Item
A	1	hand sanding block
B	10	sanding sheets P40
C	10	sanding sheets P60
D	10	sanding sheets P80
E	10	sanding sheets P120
F	10	sanding sheets P180
G	10	sanding sheets P240
H	10	sanding sheets P320
I	10	sanding sheets P400
J	1	Manual

1

**Preparazione e
applicazione**

- Scegli la grana adatta in base al materiale e al risultato di levigatura desiderato. Fissa la carta abrasiva sulla levigatrice manuale in modo uniforme e senza pieghe utilizzando il meccanismo di tensionamento.
- Tenere saldamente l'utensile e levigare con una pressione leggera e uniforme lungo la superficie. Iniziare con una grana grossa e, se necessario, passare a grane più fini.

1

**Preparation &
Application**

- Choose the appropriate grit based on the material and desired result. Open the clamping mechanism and attach the sanding sheet evenly to the sanding block, making sure it is smooth and secure.
- Hold the block firmly and apply even, light pressure while sanding. Always sand along the surface, not against it. Start with a coarse grit and move to finer grits if needed to achieve a smooth finish.

2

Cura e manutenzione

- Dopo l'uso, pulire la levigatrice manuale e la carta da levigatura da polvere e residui. Se necessario, utilizzare una spazzola morbida o un panno asciutto.
- Sostituire la carta abrasiva in caso di usura visibile o perdita di prestazioni. Conservare il set in un luogo asciutto e pulito per evitare danni causati dall'umidità.

2

Care & Maintenance

- Clean the sanding block and used sheets after each use to remove dust and debris. Use a dry cloth or soft brush – avoid water or harsh cleaners.
- Check sanding sheets and the block regularly for signs of wear or damage. Replace worn or torn sheets promptly. Store the set in a dry, clean place to prevent moisture damage.

3

Smaltimento

- Smaltire i fogli abrasivi usurati nei rifiuti residui. Al termine della sua vita utile, smaltire la levigatrice manuale secondo le normative locali sui rifiuti plastici. Riciclare l'imballaggio.

3

Disposal

- Used sanding sheets can be disposed of with household waste. At the end of its service life, the sanding block should be disposed of in accordance with local regulations for plastic or tool waste. Please recycle the packaging where facilities exist.

IT

Grazie

Grazie per aver scelto il nostro prodotto. Se hai domande sui nostri prodotti, non esitare a scriverci.

Siamo a tua disposizione:

EN

Thank you

Thank you for choosing our product. If you have any questions about our products, please send us a message.

We are here for you:

service@stonereef.de



Area assistenza
Customer Area
www.stonereef.de/service